





Security page 8 Insulation page 10 Convenience page 13 Colours page 14 Remote Control page 21 AlluGuard 77 Features page 22 AlluGuard 55 Features page 24 Accessories page 26 **Smart Home** page 27

Trusted and quality assured

AlluGuard is totally focussed on you. Choosing a product for your home as important as a garage door is not something you do very often. Perhaps only once or twice in a lifetime!

To purchase with confidence requires a company you can trust - a quality assured company.

AlluGuard's reputation is built on quality and we are independently certified to prove that our quality management systems are industry acknowledged! Our products are designed to give you the ultimate in performance ensuring that you'll be happy to recommend AlluGuard.

Safety always comes first at AlluGuard. All our products carry a CE mark and have been independently tested for safe operation and compliance with legislation to EN 13241-1.






Buy with confidence!







Insulated Roller Garage Doors

Insulated roller garage doors are wonderfully simple in everyday use thanks to smart technology. Over the coming pages, we'll introduce the clever features on AlluGuard insulated roller garage doors, but by way of introduction, here are the highlights:

How easy is that!



They open at the touch of a button

Smart controls ensure safe and effortless opening every time.

They take up less space

than any other garage door, rolling up into a compact space with no tracks projecting into the garage.

They keep out the weather

so your garage is no longer a draughty no-go area.



They are Police Approved

valuable items stored in your garage with our independently tested Secured by Design door, the AlluGuard77.



They make extra space

by fitting behind the opening, giving you a wider and taller opening. This increases drive-through width by up to 150mm (6") and drivethrough height by up to 75mm (3"). Vertical opening means the door doesn't project out onto your drive or into the garage space, allowing you to park up to the door inside and out.

Read on... or watch online at: www.thegaragedoorchannel.co.uk











Everything works at just the touch of a button these days!



They look simply stunning



The gentle curve and the subtle lines of each slat are finished in a tough polyester powder coating or a high grade laminate to create an overall look that is classic and contemporary in equal measure.

They are quality assured & safe



Every door is manufactured to our ISO 9001 certified quality systems and CE certified and marked as safe to Directive EN 13241-1.

They are covered by fair warranties



AlluGuard roller doors are covered by a comprehensive warranty of two and five years - see the back page for full details.



AlluGuard 77 & AlluGuard 55 -

What's the difference?

Similar features only smaller! AlluGuard 55 uses a smaller slat than the AlluGuard 77 that allows it to roll tighter requiring less space at the top of the door. It's the ideal choice when headroom is especially limited.









Security F



Security Matters


Bikes, fitness equipment, tools... Whatever you keep in your garage in addition to your car, it's always a surprise when you add up the value - often several thousand pounds! To keep your possessions secure, look for the Secured by Design symbol - the only form of national Police accreditation for security - you'll find it on our AlluGuard 77 garage door.


Secured by Design

The AlluGuard77 is designed to be secure and has been awarded the Secured by Design Police Preferred Specification status. To achieve Secured by Design, doors are independently tested and certified to the standard, giving you peace of mind that your new garage door is secure to a Police approved standard. The AlluGuard55, whilst built for strength, is not available with

Alarmed

The door control unit for AlluGuard 77 and 55 doors employs magnetic contacts on the bottom of the door to monitor the door's position when locked. If an attempt is made to lever the bottom of the door upwards, a piercing alarm is triggered to deter intruders.





The extruded aluminium bottom slat adds extra strength to resist forcing. See page 15 for notes on colours.



Remote control means there's no external lock to pick or attack.

What is Secured by Design?

Secured by Design (SBD) is the UK Police flagship initiative that is founded on the principles of designing out crime and crime prevention.

SBD supports one of the Government's key planning objectives: the creation of secure, quality places where people wish to live and work.

Research carried out by
Huddersfield University shows
that residents living on Secured
by Design Developments are half
as likely to be burgled and two
and a half times less likely to suffer
vehicle crime. Secured by Design
Developments also benefit from

Secured by Design



Police Preferred Specification

We store a lot of stuff in our garage, so the extra security of AlluGuard's roller door was first on the list for us!





U Value: 5.2W/m²K

Insulation


Fully Insulated & Finished to Perfection

AlluGuard is designed to give thermal and acoustic insulating properties much higher than the average garage door. 'CFC' Free Polyurethane Foam within the Aluminium Lath plus high performance weather sealing ensures good insulation.

It's perfect if you want to use your garage as a work/play room or your garage is under a bedroom.

The corrosion resistant aluminium laths are light yet strong and can be finished in a range of solid colours or woodgrain textures see pages 14-19.





Brush strips reduce draughts and the bottom seal keeps out wind blown debris.











Convenience





No wasted space

Roller garage doors operate vertically, rolling into a compact coil within the garage, above the opening. Not only does this mean you can park right up to the garage door, but valuable space is not taken up inside your garage which could be used for storage.

Takes up less space

Because it rolls 'tighter' than other roller doors, AlluGuard takes up less headroom when open - just 300mm for the AlluGuard 77 and even less for AlluGuard55 at 205mm.

The door typically sits behind the brickwork, allowing any existing frame to be removed. This increases drive-through width by up to 150mm (6") and drive-through height by up to 75mm (3").

This, and its very compact side runners, gives you much more room to manoeuvre.

Doors can even be fitted externally where headroom is extremely limited.

Good looks inside and out

The outside of the door is simply stunning, the inside equally impressive. Whether you choose a powdercoated door with matching guides and box or a laminated door with White, Mocca Brown or Black guides and box, the installation is incredibly neat and compact – no wasted space!



The neat inside is made even tidier with the option of a box to house the door roll.



Extra drive through width of up to six inches - 150mm helps keep your wing mirrors unmarked!



Standard Colour Range *Pale Grey RAL 7038


Solid powdercoat colours

Low maintenance powdercoat finishes for AlluGuard77 garage doors are available in these stylish colours:

* Denotes non-stock colour options




Cream RAL 9001




Home Cream RAL 1015



Black RAL 9011





Graphite Metallic



Burgundy RAL 3004



Blue RAL 5011






Racing Green RAL 6009



*Moss Green RAL 6005



Mocca Brown RAL 8019

Wood effect powdercoat

Low maintenance wood effect powdercoat finishes for AlluGuard77 door are available in the following wood shades:



Rosewood Painted



*Walnut Painted



Golden Oak Painted



*Irish Oak Painted

Wood effect laminate

Low maintenance wood effect laminate finishes for AlluGuard77 door are available in the following wood shades:



Mahogany



Golden Oak



Rosewood

Solid laminate colours

Low maintenance solid colour laminate finishes for AlluGuard77 door are available in the following colours:



Slate Grey RAL 7015



Black

Notes on colours

Coloured guide rails are supplied as standard, however, they may not perfectly match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing / pressure marks may occur on front and rear surfaces of doors as a result of their normal operation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.

AlluGuard 77

I want my garage door to match my windows!



Colours

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home. Don't see the colour you want? Explore our extended range of laminate finishes and custom colours on pages 18-19.



The door curtain

The door curtain is available in the solid powdercoat and laminate colours and wood effect powdercoat and wood effect laminate colours shown left.

The rear of the door slats is finished to match the front on solid colour powdercoated and wood effect powdercoated doors. Wood effect laminates and solid colour laminates have a White or Mocca Brown rear. White is standard for solid colours, Mocca Brown for wood effects.



The standard configuration is with no roll box.



The door guides

The guides colour match* the door curtain colour as standard on all solid powdercoat colours. Wood effect powdercoat and laminate doors are supplied with White, Mocca Brown or Black guides.

Rosewood and Golden Oak powdercoat wood effects are also available with a complementing powdercoat finish as an optional extra.

*See notes on colour at the top of the page



The half box option helps prevent debris dropping onto the door roll



The door roll box

Doors are supplied without a roll box as standard but are available as an option with a half or full roll box. These are finished to match the door guides for all solid powdercoat colours**. Wood effect powdercoat/laminates and solid laminate colours are finished in White, Mocca Brown or Black**.

**Rosewood and Golden Oak powdercoat wood effects and Graphite Metallic are also available finished with a complementing powdercoat wood effect/Metallic finish as an optional extra.



The full box option encloses the door roll for a very neat installation.



Requiring only 205mm of headroom, the AlluGuard55 has the benefits of the larger AlluGuard77, but in a very compact space.

Standard Colour Range

Solid powdercoat colours

Low maintenance powdercoat finish for AlluGuard55 garage doors are available in these classic colours:



Wood-effect powdercoat

Low maintenance powdercoat wood effect finish for AlluGuard55 garage doors are available in these classic colours:





The AlluGuard 55 fits in smaller spaces!

Notes on colours

Coloured guide rails are supplied as standard, however, they may not perfectly match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish, so cannot be guaranteed to match exactly. Over time some scuffing / pressure marks may occur on front and rear surfaces of doors as a result of their normal operation.

Colours shown are for guide purposes only and are limited by the printing process. Please ask to see a colour sample to confirm your choice.



I'm smaller but perfectly formed! AlluGuard 55



Colours

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home. Don't see the colour you want? Explore our extended range of laminate finishes and custom colours on pages 18-19.



The door curtain

The door curtain is available powdercoat finished in the solid colours and wood effects shown left.

The rear of the door slats is finished to match the front.



The door quides

The guides colour match* the door curtain colour as standard on all solid powdercoat colours. Wood effect powdercoat doors are supplied with White, Brown or Black guides.

*See notes on colour at the top of the page



The door roll box

Doors are supplied with a half roll box as standard but are available as an option with a full roll box. These are finished to match the door guides for all solid colours. Rosewood, Golden Oak and Mahogany are finished in White, Brown or Black.



The half box is standard.



The full box option encloses the door roll for a very neat installation.



Special Laminate finishes

In addition to our standard colour ranges, you can also order your door in special laminate finishes shown below.


The laminate colours are selected from the Renolit Exofol high-performance films range for exterior applications. Renolit Exofol is the market leader, and its multi-layered structure protects and decorates many architectural surfaces such as windows and are ideal for garage doors. Finishes have a 10-year warranty against perforation of the substrate.

Doors with special laminates are available with the rear face of the door finished in White or Brown. White is standard for all solid colours, brown for wood effects. The guides and box are finished in White, Brown or Black.



Want something special? Pick from the rainbow!

Custom Colours



Matched to Little Greene Mister David



Custom Colour finishes

In addition to our standard colours and special laminate ranges, you can also order your door in a custom colour.

Perhaps you have a RAL colour, a Farrow & Ball colour, a Little Greene shade or a Dulux Trade colour and you want your garage door be similar... ... No problem - our custom painting service is what you need!

We can custom paint your door to match. The wet-spay process uses paint mixed to match your chosen shade and gives a finish that is warranted for five years with suitable care and cleaning.

Custom coloured doors are available with guides and box finished in White, Brown or Black. As an option, the front face of the guides and the front face of the box are available painted to match the door curtain colour with the inner surfaces in White, Brown, or Black. The rear face of the door is available in White or Brown.

Fill your world with colour!



Remote Control





Effortless performance

Remote control is a standard feature that makes using your door effortless and secure. No need to get out of your car on a wet and windy night!

Controls to suit you

With a range of controls available, choosing the ideal way to operate your doors couldn't be easier. Remote control, wall switch, keypad... see page 26 for the full range of options.

The control unit

The Rollixo RTS wireless or wired control unit is the doors' "brain". It responds to signals from the remote control and other accessories to operate the door.

It has an integrated courtesy light to guide your way and buttons to operate the door. It also houses the intruder protection alarm that sounds when attempts are made to force the door by levering up the bottom slat.





All AlluGuard garage doors come with the following:

- Rollixo RTS Wireless or Wired Control Unit
- · 2 Keygo RTS Keyfobs
- Electrical Wireless Safety Edge / Optical Wired Safety Edge

Remote control


Compact, stylish and keyfob friendly, the Somfy remote controls your doors and can also be programmed to control gates, lights and more in one stylish handset. Two are supplied as standard and more can easily be added.



Safety Edge

Peace of mind protection for you and your family. The doors' bottom edge rubber seal incorporates an electric or optical sensor along its length to detect obstructions and instantly stop and reverse the door a short distance when closing.

Wireless and wired versions are available certified and marked as safe to Directive EN 13241-1.



AlluGuard 77





Power fail override

If the power fails, a simple hand crank is used to operate the door.



External power fail override

An optional external crank with lockable access is also available should there be no other access to the garage.



Keeps out the weather

Weather resistance is excellent with a rubber compression seal (not watertight) to the bottom of the door and a brush strip within the guides.





Features at a glance

AlluGuard takes the concept of the roller garage door to a new level. It out-performs the ordinary garage door for ease of use, insulation, finishes, safety and security and all doors are manufactured under strict and controlled guidelines. More and more homes are benefiting from an AlluGuard roller garage door - take a look at the features that make all the difference:



Smooth & quiet

The barrel rings help reduce operating noise.



The safety edge stops and reverses the travel of the door on contact with an obstruction.



Powerful
Concealed within the barrel
of the door is a powerful and
quiet motor that drives the
door and holds the curtain
locked when closed.



Secure

Security is excellent with strong locking straps that prevent forced lifting of the door.



Complete control The wall-mounted control unit has a courtesy light to guide your way and push button control for the door. The alarm is also housed in the control unit that sounds on an attempt to force up the door from the bottom slat.



Safety brake
A safety brake is fitted to every AlluGuard 77
door that will prevent the door from dropping
in the unlikely event of a motor failure. It
includes a safety feature that automatically cuts
power to the motor when the brake activates,
protecting the door mechanism.

AlluGuard 55





Power fail override

If the power fails, a simple hand crank is used to operate the door.



External power fail override

An optional external crank with lockable access is also available should there be no other access to the garage.



Keeps out the weather

Weather resistance is excellent with a rubber compression seal (not watertight) to the bottom of the door and a brush strip within the guides.

I need just
205mm of space
above the
opening to fit!



Features at a glance

The AlluGuard 55 is small but perfectly formed. It doesn't cover the size range of the AlluGuard 77, being limited to single doors up to 3000mm wide

and 2225mm high, but only requires 205mm of headroom to install. Its compact size makes it the perfect solution when space is limited.



Smooth & quiet
The lock straps create a smooth running surface to

help reduce operating noise.



The safety edge stops and reverses the travel of the door on contact with an obstruction.



Powerful
Concealed within the barrel
of the door is a powerful and
quiet motor that drives the
door and holds the curtain
locked when closed.



Secure

Security is excellent with strong locking straps that prevent forced lifting of the door.



Complete control

The wall-mounted control unit has a courtesy light to guide your way and push button control for the door. The alarm is also housed in the control unit that sounds on an attempt to force up the door from the bottom slat.



Fur lined

The front edge of the door box has a line of synthetic fur to increase weather protection and help reduce draughts.

Automation Accessories

Automated as standard, the features of the AlluGuard77 and AlluGuard55 garage door systems are already at a luxury level. To further enhance day-to-day use, this range of control options provides extra flexibility.





Secure Metal Keypad (IP54)

The anti-vandal keypad with a metal case and secure smart rolling code technology, gives you peace of mind for secure access to your garage.



Smoove Wall Switch

The Smoove wall switch, available in white or black and single and double fittings, add touch sensitive controls to your new door system.



Keygo Remote

Two Keygo 4 RTS remote controls are supplied with every door. Extra remote controls can be added and are easy to programme.



Radio Wall Switch

This wall mounted wireless switch can be installed inside the garage or home for easy operation of your garage door. Also available wired.



Wired Key Switch

This externally wall mounted key switch allows operation without the use of a hand transmitter and is an alternative to our keypads.



Wireless Digital Keypad

This externally wall mounted keypad will accept a 4 to 13 digital code to open and close your garage door without the hand transmitter.



Rocker Switch

This wall mounted wired rocker switch can be installed inside the garage or home for simple operation of your garage door.



Standard Receiver RTS

The waterproof standard receiver allows keyfobs, keypads and key switches to effortlessly control 3rd party products including gates. Can be externally mounted.



Lockable Override Cover

A lockable cover to protect the manual override access point on externally fitted doors.

Accessories

Door options



Curtain roll box

Half and full boxes are available to suit AlluGuard77 doors. Either option will take up 300mm headroom on top of the guide height.

AlluGuard55 doors are supplied with half box as standard. Both half or full box has 205mm headroom on top of the quide height.



Vented laths

Vented laths are available in powder coated colours only.



Manual Exterior Release

For use in emergencies or in the event of power failure. The manual release allows the door to be opened manually from outside the garage - essential if the garage has no other entry point.



Vision slats

Polycarbonate clear glazing is available for AlluGuard77 doors on a proportion of the door curtain to allow natural light into the garage (not available on AlluGuard55).

Woodgrain finish doors are only available with brown vision laths.

Smart Living starts with AlluGuard

"Smart Home" is no longer just a technology buzz word, but more and more part of every day life. It's just so convenient to be able to control devices with your tablet, pc or smart phone.

At AlluGuard, we've embraced this exciting technology and called it "Smart Living".

We've been using Somfy motors and controls on our garage doors for many years, so extending capability into smart technology with such a proven partner was an easy decision! Somfy's Smart Home systems are the industries best!

Two systems:

CINNEXOON



Connexoon, centres around access to and from your home, providing smart control of your garage door, gate and lighting.





Tahoma is the complete smart home solution for monitoring and operating your garage doors, gates, blinds, curtains, lights, electrical equipment, heating and home security.

Take a look over the next two pages to see just how smart your home can be!

CIJNNEXOON ACCESS



An intuitive solution

The Connexoon Access RTS allows you to operate your Somfy motorised garage door, gate and lighting from your smartphone. Anytime, anywhere. Intuitive, smart, simple to use!

Connexoon Access RTS is simplicity itself to set up and the smart phone app is clear and simple to use, allowing control of up to 30 connected products.

4 smart functions

In addition to individual control of your connected products - open your garage door, turn on the drive lights, Connexoon Access RTS has four easy to configure smart functions:

Welcome home...

Open and close all your access products with a simple click on your smartphone. The geolocation will make sure your garage door and gate will be open and lights on when you arrive to your home. You can adjust the distance from vour house between 50 and 250m. The "Welcome home"function is the true hands free access product, no more looking for controls, allowing full concentration when driving.

Leave home...

Link the products you want to the "Leave home" function. The garage door can be closed and the lights on to imply occupancy while you are not at home.

Compatible products





Rolling garagedoor Rollixo RTS

Gate openers RTS







Indoor plug RTS Philips Hue lighting

Open access...

Link the products you want to the "Open access" function. The garage door and gate can be opened and the lights on in one click!

Close access...

All your access products can be closed with 1 click!



Somfy Smart Home puts you in control, makes your life easier, more comfortable and gives you peace of mind, wherever your are.

Monitor and operate your garage doors, blinds, curtains, lights, electrical equipment and heating with your smart-phone or tablet.

You can adjust everything about the Somfy Smart Home System to accommodate your personal preferences. Keep an eye on your home using cameras and movement detectors for home surveillance, great for peace of mind.

Somfy TaHoma is a smart box and the heart of your Smart Home. It links you to your home via the smart TaHoma app. Somfy Smart Home solutions are extremely easy to use and can be installed

with very little trouble. Add products whenever it suits your needs or your budget.

TaHoma Hub

The Somfy TaHoma hub allows control of your garage door and other compatible home items from your tablet, pc or smart phone. The door must be in line of sight to ensure safe operation.

The TaHoma is the beating heart of Somfy Smart Home. This smart box not only allows you to control individual products remotely via smart-phone, it also enables you to create scenario's involving groups of products and connects you to your home at all times.

A typical scenario might include linking your lights, window shutters and garage door together in a 'leave' scenario and Somfy Smart Home will take care of everything. The window

shutters close, all the lights are turned off and the garage door automatically closes behind you.

Smart living starts with AlluGuard's Somfy Smart Home.







Discover the possibilities of Somfy Smart Home!

■ TaHoma[®]





Compatible equipment depending on your home configuration











Garage door

Sensor*

Outdoor motion sensor*



Movement detector RTD - Small pets*



Movement detector RTD - Large pet*



Lighting receiver indoor ON/OFF



Compatible Services

amazon alexa

Apple HomeKit

Compatible Protocols

Lighting receiver outdoor ON/OFF



TaHoma security remote control*



Remote controlled socket



Water Leakage Sensor*



Sun sensor*



Scenario player*



Indoor security Outdoor security camera



camera [also in Anthracite]



Indoor movement detector*



Opening detector*



Smoke detector* Temperature



sensor*



Indoor siren*

*BATTERY OPERATED - NO HARD WIRING REQUIRED!


You choose how to control your smart home: by smart-phone, tablet, computer or your connected watch.











Also from AlluGuard...



Insulated Sectional Garage Doors

SolidScreen Welcame to your guide to the best sun protection Window screens White Attifuent naive of Vocal Burgerspoint removal costs Welca Attifuent

SolidScreen Sun Protection Window Screens

Exceptional performance...

Insulated sectional garage doors provide exceptional performance when it comes to insulation and draught reduction.

They're not short on good looks either with a stunning choice of styles finishes and window options!

Just ask for a copy of the brochure or view online at www.alluguard.co.uk.

Rechargeable, simple...

Portal Powered Blinds from AlluGuard is a simple......but brilliant concept. Every blind includes a rechargeable Lithium Ion battery for wire-free powered operation. Remote control, smart home control... ...and you can also control with simple voice commands using Amazon Alexa.

Just ask for a copy of the brochure or view online at www.alluguard.co.uk.

You control the sun!...

SolidScreen from AlluGuard brings you privacy, sun protection and style. It's never been easier, more attractive and made to last!

Just ask for a copy of the brochure or view online at www.alluguard.co.uk.



Portal Powered Blinds

Safety - CE marking

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a Declaration of Incorporation from the manufacturer.

On completion of the installation the installer must provide a Declaration of Conformity and apply a CE mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity, maintenance and operation instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal and may be unsafe.

Please ensure for your own safety and peace-ofmind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

Choose a member of the DHF Garage Door Installer Group who CAN and WILL install your motor and controller safely and legally.



(a) AlluGuard roller garage doors are guaranteed against any form of manufacturing defect for a period of 2 years from the date of original purchase.

(b) AlluGuard tubular motors are guaranteed against any form of manufacturing defect for a period of 5 years. Other electrical and mechanical elements within the control system are guaranteed for a period of 5 years.

(c) AlluGuard roller garage doors exterior finish is guaranteed to provide an effective weatherproof membrane that will resist perforation of the substrate from the weather side due to corrosion for a period of 5 years. Externally fitted reverse roll AlluGuard roller garage doors will resist perforation of the substrate from the weather side due to corrosion for a period of 2 years. Colour change or fade to the exterior surface will be limited and uniform during the guarantee period.

Guarantees are subject to conditions - please visit www.alluguard.co.uk/warranty for full details.





AlluGuard Limited Rotherham Road, Parkgate, Rotherham S62 6FP

t: 01709 529 723 f: 01709 524 577

e: customerservice@alluguard.co.uk

w: www.alluguard.co.uk